

distillata

Touch-free water bottle fill station options



Sensor Activated Bottle Filling Station and Pushbar Fountain

- Sensor activation (bottle filler) designed for easy use; easy-to-operate push-bar activation (bubbler).
- Fill rate is 1.1 GPM.
- Silver ion antimicrobial protection to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Rated for indoor use.
- Available with or without a filter system.



Sensor Activated Bottle Filling Station and Pushbar Duel Level Fountain

- Sensor activation (bottle filler); easy-to-operate push-bar activation (bubbler).
- Fill rate is 1.1 GPM.
- Visual indicator for when filter change is necessary.
- Filter is certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction.
- Green Ticker informs user of number of water bottles saved from waste.
- Silver ion antimicrobial protection to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Rated for indoor use.



Sensor Activated Bottle Filling Station and Fountain

- Sensor-activated bottle filler and bubbler.
- Fill rate is 1.1 GPM.
- Green Ticker informs user of number plastic water bottles saved.
- Silver ion antimicrobial protection to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Rated for indoor use.
- Available with or without filter system.



Sensor Activated Bottle Filling Station and Fountain Dual Level

- Sensor-activated bottle filler and bubbler.
- Fill rate is 1.1 GPM.
- Visual status indicator for when filter change is necessary.
- The 3,000-gallon filter is certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction.
- Green Ticker informs user of number of water bottles saved from waste.
- Silver ion antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Rated for indoor use.



Bottle Filling Station Wall Mount (non-refrigerated)

- Mechanical push button designed for use in limited wall depth applications, and where electricity is not available.
- Fill rate is 1.5 GPM.
- Green Ticker informs user of number of water bottles saved from waste.
- Able to pair with a remote chiller.
- Silver Ion Antimicrobial protection to inhibit the growth of mold and mildew.
- Real Drain System eliminates standing water.
- Rated for indoor use.
- Can retrofit to existing fountain.



Bottle Filling Station Wall Mount Recessed (refrigerated)

- Touchless, sensor activation
- Fill rate is 1.1 GPM.
- Green Ticker™ informs user of number of water bottles saved from waste.
- Silver ion antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Rated for indoor use.